

# MONTEREY BAY UNIFIED AIR POLLUTION CONTROL DISTRICT

## **RULE 415 -- CIRCUMVENTION**

*(Adopted 9-1-74) (Revised 8-21-02)*

### CONTENTS

PART 1 GENERAL .....	1
1.1 Purpose .....	1
1.2 Applicability .....	1
1.3 Exemptions .....	1
1.4 Effective Dates .....	2
1.5 Related District Rules .....	2
PART 2 DEFINITIONS .....	2
PART 3 REQUIREMENTS AND STANDARDS .....	2

#### PART 1 GENERAL

##### 1.1 Purpose

The purpose of this Rule is to require that control equipment installed to reduce emissions actually do reduce emissions within the Monterey Bay Unified Air Pollution Control District (Air District).

##### 1.2 Applicability

The provisions of this Rule shall apply to any article, machine, equipment or other contrivance operated to control emissions within the Air District unless exempted pursuant to Section 1.3 below.

##### 1.3 Exemptions

This Rule shall not apply to any article, machine, equipment or other contrivance installed to eliminate or:

- 1.3.1 mitigate *Nuisances* as defined in District Rule 402.

1.3.2 mitigate offsite concentrations of *Toxic Air Contaminants* as defined in District Rule 1000.

1.4 Effective Dates

This Rule, as most recently revised, is effective on August 21, 2002.

1.5 Related District Rules

Related District Rules include: 101 (Definitions), 402 (Nuisances), and 1000 (Permit Guidelines and Requirements for Sources Emitting Toxic Air Contaminants).

PART 2 DEFINITIONS

Reserved.

PART 3 REQUIREMENTS AND STANDARDS

No person shall build, erect, install or use any article, machine, equipment or other contrivance, the use of which, without resulting in a reduction in the total release of air contaminants to the atmosphere, reduces or conceals an emission which would otherwise constitute a violation of the District Rules and Regulations.

\* \* \* \* \*